

2.4GHz LIGHTNING PROTECTOR--


Model No. : INLP-001

Electrical Specifications:

Frequency Range	2.4GHz
VSWR	≤ 2.0
Impedance	$50\Omega \pm 5\Omega$
Gain	N/A
Polarization	N/A
Power Handling	10Watt
Beam Width	N/A

Mechanical Specifications:

Connector	N Female to N Male
Operation Temp.	$-30^{\circ}\text{C} \sim +60^{\circ}\text{C}$
Material	Radome: COPPER
Dimension (L*W*H)	67.5*26 mm
Weight	$154\text{g} \pm 10\text{g}$
Color	Nickel-Plating





3D Illustration




[Http://www.infosmart.com.tw](http://www.infosmart.com.tw)

20080104


The product specifications are subject to change without prior notice.



RETURN LOSS



SWR




80A90

1. SAFETY STANDARDS APPROVAL

Standard No.	UL 497B
File No.	E187844

2. STRUCTURE

NO.	ITEM	DESCRIPTION		
2.1	Main Material	Ceramic cylinder, electrode, inert gas		
2.2	Marking	Part Number or Designation Number, and UL recognized component mark.		
2.3	Appearance	Without dirt and crack, marking should be clear		
2.4	Dimensions		L1	6.0±0.2
			L2	60±4
			W1	φ8.0±0.2
			W2	φ0.8±0.05
			Unit: mm	

Ordering Information

Model Name: INLP-001

2.4GHz LIGHTNING PROTECTOR

[Http://www.infosmart.com.tw](http://www.infosmart.com.tw)

20080104

The product specifications are subject to change without prior notice.